

National Climatic Data Center

DATA DOCUMENTATION

FOR

DATA SET 3360 (DSI-3360)

15-MINUTE PRECIPITATION - INVENTORY

March 21, 2003

National Climatic Data Center
151 Patton Ave.
Asheville, NC 28801-5001 USA

Table of Contents

Topic	Page Number
1. Abstract.....	3
2. Element Names and Definitions:	3
3. Start Date.....	5
4. Stop Date.....	5
5. Coverage.....	5
6. How to order data.....	5
7. Archiving Data Center.	6
8. Technical Contact.....	6
9. Known Uncorrected Problems.....	6
10. Quality Statement.....	6
11. Essential Companion Data Sets.....	6
12. References.....	6

1. **Abstract:** The 3360 data set represents the monthly inventory for the 15-Minute Precipitation Data, TD-3260. The data set contains three types of records: (1) header records, (2) elements observed records, and (3) inventory records.

Header Records - Each header record contains the observing station identification, the most current station name, the name of the state where the station is located, the first year of 15-minute precipitation data observations, and the last year of 15-minute precipitation data observations.

Elements Observed Records - Each elements observed record contains the observing station identification and a list of the elements observed at that station over the station's period of record.

Inventory Records - Each inventory record contains the observing station identification, year of 15-minute precipitation data inventoried, name of element inventoried, number of missing days of 15-minute precipitation data for each month, and number of days of 15-minute precipitation data flagged for each month. Each inventory record represents the inventory for one year for one element observed of 15-minute precipitation data.

Missing Data - A day of 15-minute precipitation data is counted as missing when there is no 15-minute precipitation data value present for any quarter hour of the day. The 15-minute precipitation data for the entire day is in a missing period, a deleted period, an accumulation period, or any combination of missing/deleted/accumulation periods. (See documentation for DSI-3260.)

Flagged Data - A day of 15-minute precipitation data is counted as flagged when there is at least one 15-minute flag representing the beginning or ending of a missing period, a deleted period, or an accumulation period. (See documentation for DSI-3260.)

2. Element Names and Definitions:

HEADER RECORD

Station Identifier: (STNIDH) is an 8-character alphanumeric string that uniquely specifies the station whose 15-minute precipitation data is inventoried. The first two characters represent the state code, the next four characters represent the cooperative network index, and the last two characters represent the cooperative network division. These three parts are described below.

The state codes are as follows:

01 Alabama	28 New Jersey
02 Arizona	29 New Mexico
03 Arkansas	30 New York
04 California	31 North Carolina
05 Colorado	32 North Dakota
06 Connecticut	33 Ohio
07 Delaware	34 Oklahoma
08 Florida	35 Oregon
09 Georgia	36 Pennsylvania
10 Idaho	37 Rhode Island
11 Illinois	38 South Carolina

:
:

12 Indiana	39 South Dakota
13 Iowa	40 Tennessee
14 Kansas	41 Texas
15 Kentucky	42 Utah
16 Louisiana	43 Vermont
17 Maine	44 Virginia
18 Maryland	45 Washington
19 Massachusetts	46 West Virginia
20 Michigan	47 Wisconsin
21 Minnesota	48 Wyoming
22 Mississippi	50 Alaska
23 Missouri	51 Hawaii
24 Montana	66 Puerto Rico
25 Nebraska	67 Virgin Islands
26 Nevada	91 Pacific Islands
27 New Hampshire	

The cooperative network index ranges in value from 0001 through 9993.

The cooperative network division ranges in value from 00 to 10. "00" is used in all station identifiers prior to November 1993.

Record Number: (RECNOH) is an integer that specifies the record number of the header record. The record number always has a value of "0001", and is used only for sorting purposes.

Station Name: (STNAME) is a 20-character alphanumeric string that specifies the most current name associated with the station identifier.

State Name: (STATE) is a 14-character string that specifies the state where the station is located.

Begin Year: (BYEAR) is an integer that specifies the first year of 15-minute precipitation data for this station.

End Year: (EYEAR) is an integer that specifies the last year of 15-minute precipitation data for this station.

ELEMENTS OBSERVED RECORD

Station Identifier: (STNIDE) is the same as Station Identifier described in the HEADER RECORD.

Record Number: (RECNOE) is an integer that specifies the record number of the elements observed record. The record number always has a value of "0002", and is used only for sorting purposes.

Element Text: (TEXTE) is a 13-character alphanumeric string that always has a value of "ELEMS TAKEN =".

Element Name: (ELNAME) is a 4-character string that specifies the elements observed at this station over the station's period of record. The element name has a range of "QPCP" and "QGAG".

DATA RECORD

:
:

Station Identifier: (STNID) is the same as Station Identifier described in the HEADER RECORD.

Inventory Record Year: (YEAR) is an integer that specifies the year of 15-minute precipitation data inventoried for this data record. This element ranges in value from 1970 to present.

Element: (ELEM) is a 4-character alphanumeric string that specifies the element inventoried for this data record. The element has a range of "QPCP" and "QGAG".

Number of Missing Days: (NUMISS) is a two character alphanumeric string that specifies the number of days per month of 15-minute precipitation data that is missing. There are twelve monthly values beginning with the month of January. Range of values is 01 - 30, "--", and "XX".

EXAMPLES

--	Entire month of 15-minute precipitation data is present.
XX	Entire month of 15-minute precipitation data is missing (missing and/or deleted and/or in an accumulation period).
06	Six (6) days of 15-minute precipitation data missing for the month.

Number of Flagged Days: (NUMFLG) is a two character alphanumeric string that specifies the number of days per month of 15-minute data that is flagged as being in a missing, deleted, or accumulation period. There are twelve monthly values beginning with the month of January. Range of values is 01 - 31, "--", and "XX".

EXAMPLES

--	No days flagged during the month.
XX	No days flagged during the month. Entire month of 15-minute precipitation data is missing.
02	Two (2) days of 15-minute precipitation data flagged for the month.

3. **Start Date:** 1970

4. **Stop Date:** Ongoing.

5. **Coverage:**

- a. Southernmost Latitude: 15S
- b. Northernmost Latitude: 72N
- c. Westernmost Longitude: 134E
- d. Easternmost Longitude: 64W

6. **How to Order Data:**

Ask NCDC's Climate Services about the cost of obtaining this data set.
Phone: 828-271-4800
FAX: 828-271-4876
E-mail: NCDC.Orders@noaa.gov

:
:

7. **Archiving Data Center:**

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, NC 28801-5001
Phone: (828) 271-4800.

8. **Technical Contact:**

National Climatic Data Center
Federal Building
151 Patton Avenue
Asheville, NC 28801-5001
Phone: (828) 271-4800.

9. **Known Uncorrected Problems:** Currently, there are some problems in the DSI-3260 (and subsequently the DSI-3360) data set with the AQQAG@ element. These occur beginning January 1996, where the deleted or missing flags do not occur in pairs. In those months, the days missing count could be off by several days and the days with flags counts could be off by one day. This problem may exist in the AQPCP@ element data prior to January 1996. Future plans are to rehabilitate the DSI-3260 data and re-inventory the entire data set.

10. **Quality Statement:** No quality control is performed on the 3360 data set.

11. **Essential Companion Datasets:**

- a. 15-Minute Precipitation Data, DSI-3260
- b. Master Station History Report, DSI-9767

12. **References:** There are no references applicable to the 3360 data set at this time.

:
: